


HMS Malaya 1943

"马来亚"号战列舰1943年



- Study and understand these instructions thoroughly before beginning assembly
- · When needed, remove photo-etch parts carefully using a modeling knife or photo etch sprue cutter, being careful not to ● 用弘力快干胶水粘合蚀刻片零件和金属轴。过量快干胶水 damage or lose small parts.
- Take extra care in handling photo etch parts in order to avoid
- Apply instant cement sparingly to photo etch parts where instructed
- Tools recommended(not included in kit): Plastic and instant cements, sprue cutters, long nose pliers, not aling knife. small files, tweezers, pin vise & scissors. Soit winth and sandpaper will also assist in construction
- . Glue and paint are not included in the kit. Use plastic cement and hobby paints only. Color guide for purchasing paint is included in the kit.



1/700 SCALE

炎配之於仔细阅读

- 小∴用模型分力分力投力投工<l
- 小心尺刀片切下蚀刻片零件,不要遗失小零件。
- 使用可能导致可动零件会粘住, 小心涂胶。
- 取蚀刻片时应特别注意安全, 防止利边划伤手指。
- 某些零件表面需贴上水贴纸, 请选择在装配的同时进行。
- 推荐模型工具(自备): 胶水, 水口剪刀, 长咀钳, 刀片, 锉刀, 镊子, 钳, 钻, 剪刀, 瞬间快干胶。
- 软布同砂纸同时也应该是必备工具。
- 请使用塑料胶水和油漆,模型内不含。



Weight



Cyannaurvlate glue



Make hole



Cut / Remove





File / Sand



Option



No cement



水贴纸的使用:

- 1.从水贴纸上剪下印花;
- 2.将印花放入温水中浸10秒,然后 放在干净布上。
- 3.拿着印花纸板将印花移到模型上;
- 4.手指蘸水将印花移到适当的位置;
- 5.用软布轻压印花直至水干, 汽泡消失

DECAL APPLICATION

- 1.Cut decals from sheet as needed
- 2. Dip the decal in warm water for about 10
- 3. Hold the decal backing sheet edge and gently slide the decal onto the model in its proper position.
- 4. While still wet, decal can be adjusted for better fit on model by dampening it gently with your finger.
- seconds and then place on soft clean cloth. 5. When placed in the proper position, gently press decal down with a soft cloth until excess water and air bubbles are gone.
 - 6.Allow decal to dry completely before handling model

