VIET T-72B1 WITH ERA MAIN BATTLE TANK 1988 🚟 📾





Accepted in 1985 and mass-produced since 1988, the T-72B(M) MBT (Ob.187) has protection level comparative to that of the contemporary T-80U, but has a noticably poorer FCS and vision aids and is underpowered. It is the last model of the (in)famous T-72 line, because the T-72BU MBT, successor to T-72B(M), received a new designation. T-90. However, T-72B(M) tanks and older T-72s upgraded to T-72E(M) standard are the most numerous tanks fielded with the Rusnian military. With the current financial problems, it will likely wide-spread use well into the 21st century.

In addition to the basic model, there exists the T-723% command variant that has been fielded since 1987. The variant sciens in radio and navigational equipment, as well as the prosumer of an auxiliary power unit.

OREAD BEFORE ASSEMBLY

- 1. When you use glue or paint, do not near flame, and use in a well-ventiated room.
- 2. Take extra care in handling phote etch parts in order to avoid injury
- 3. When you take parts off the runner frame, use modeling scissors and trim excess plastic with a cutter or a file.
- 4. Glue and paint are not included.
- 5. This product is only suitable for experienced more than 14 years old.

	SUPERGLU
•	强力胶











DECAL APPLICATION

OPTION

- 1.Cut off decal from sheet.
- 2.Dip the decal in tepid water 40° C for about 10 sec.and place on a clean
- 3. Hold the backing sheet edge and slide decal onto the model.
- 4. Move decal into position by wetting decal with finger.
- 5. Press decal gently down with a soft cloth until excess water and air bubbles are gone.

Dimensions	L9,530/6,860 x W3,460 xH2,	
Weight Crew Engine	226 x 470 clearance 44.5 metric tons 3 840 hp V-84-1 diesel1 kW	
Max Road Speed Max X-country Speed Power/Weight Ground Pressure Range	AB-1 aux.unit (T-72BK) 60 km/h 45 km/h 18.9 hp/ln 0.9 kg/sq.cm 500 km	
	e negotiation	
Fording depth	1.2 m on the move/5 m with OPVT (snorkel)	
Trench width Vertical obstacle Maximum gradient	2.8 m 0.8 m 30°	
W	eapons	
Main Weapon	125mm 2A46M smoothbore	

2E42-2 Zhasmin

45 rounds (22 in carousel)

APFSDS, HEAT, HEF

6-8 rounds/min

Ammunition **Ammunition Types**

- 1. 勿於近火处使用胶水或油漆,并 打开窗户保持空气流通。
- 2. 取蚀刻片时应特别注意安全, 防止利边划伤手指。

Stabilization

Rate of fire

- 3. 从胶架中取出部件时,应用模型专用剪,并用界刀或小锉除去多余的 胶料。
- 4. 请使用塑料胶水和油漆,模型内不含。
- 5. 本产品不适合14岁以下没有经验的模型爱好者。




CUT/REMOVE 七刀股全








水贴纸的使田.


- 1. 从水贴纸上剪下印花。
- 2. 将印花放入温水中浸10秒, 然后放在干净布上。
- 3. 拿着印花纸板将印花移到模型上。
- 4. 手指蘸水将印花移到适当的位置。
- 5. 用软布轻压印花直至不干, 汽泡消失。






















Track X 2

Metal bottom of the vehicle











Decal 2


Decal 1









































modelcollect

SOVIET T-72B1 WITH ERA MAIN BATTLE TANK 1988



